Subject Index

A

Acetylcholine 75–77, 245–248, 257–262
Active K^+ pump 99–103
Adenosine 35–40
– deaminase inhibitors 35–40
– 3',5'-monophosphate 257–262
Adenylate cyclase 215–221
ADH, renal transport 215–221
Adrenalectomized patients 41–45
Adrenergic innervation 41–45
Adrenoceptor responses 185–188
Aldosterone 151–158
Alphaxalone 249–255
Amiloride 151–158
Amperometric detection of urate 203–207
Amphotericin B 131–136
Anaesthetics 249–255
Anterior byssus retractor muscle 257–262
Antidromic activation 91–97
Aortic vs. carotid baroreceptors 47–53
Arginine vasopressin concentration 241–244
Arterioles 29–34
Atrial membrane potential 75–77
Auditory stimulation 233–239

B

Background K current 143–150
Baroreceptors, renal 233–239
– response curves 47–53
Baroreflex 79–85
Bilateral carotid occlusion 233–239
Biogenic amines 257–262
Blood flow 105–111
– oxygen partial pressure 29–34
– volume distribution 189–194
Brain microcirculation 29–34

C

Caerulein 19–27
Calcium 123–129
cAMP 245–248
Carbon monoxide 105–111
Cardiac adrenoceptors 185–188
Carotid baroreceptor reflex 79–85
– occlusion 233–239
– sinus baroreceptors 47–53
Catecholamines 41–45
Cebus albifrons 203–207
Cell volume 55–66
Cerebellar cortex 137–142
Cesium, flux in Purkinje and muscle cells 143–150
cGMP 245–248
Chlorpromazine 229–232
Cholinergic-blockers 257–262
– vasodilatation 245–248
Choralose 249–255
Circulating arginine vasopressin concentration 241–244
Climbing fibres 137–142
Cl transport 215–221
Cold environment 209–213
– exposure 241–244
Conductance 249–255
Conductivity measurements 113–121
Conscious dogs 233–239
Consecutive reaction model 75–77
Control of insulin release 41–45
– – ventilation 9–17
Corneal epithelium 131–136
Coronary perfusion 105–111
Cyclic AMP 257–262
– nucleotides 245–248

D

Decerebrated cats 47–53
Dichtomy of the membrane potential response 181–184
Diffusional permeability of the toad cornea 131–136
Divalent cation requirement 123–129

E

Electrical conductivity of tubular fluid 113–121
– resistance 55–66, 229–232
Endocrine pancreas 41–45
Epithelial cells 99–103
– transport, hormonal effect 151–158
– –, intestine 55–66
Erythrocyten, hemoglobin, oxygen affinity 209–213
Exercise 41–45
Expiratory neurons 9–17
Extracellular micro electrode recordings 1–8
– potassium 181–184

F

Firing pattern of respiratory neurons 1–8
Flow meter 71–73
Fluid balance 241–244
– volume distribution 195–201
Free fatty acids 87–89
Frequency modulated interspike interval distributions 1–8
Fundic gastric mucosa 99–103
Furosemide 113–121

G

Gastric mucosa 99–103
GFR-monitoring 71–73
Gill vascular bed 35–40
Glomerular filtration rate 71–73
Glucagon 41–45
Glucose 55–66
Goat 241–244
Guanosine 3',5'-monophosphate 257–262

H

Halothane 249–255
Heart muscle, adrenoreceptor 185–188
Heat clearance 223–227
– exposure 189–194
Hemoglobin 209–213
Henle's loop 113–121, 215–221
Hydrostatic indifferent point 195–201
5-Hydroxytryptamine 257–262
– blocking agent 257–262
Hyperpolarization, evoked by stimulation of postganglionic parasympathetic nerve 75–77
Hypothermia 209–213
Hypoxia 105–111

I

Immersion 189–194
Inferior olive 137–142
Insulinotropic effect of glucose 123–129
Insulin release 41–45, 123–129
Interspike interval distributions 1–8
Intestine 55–66
Intraaortic catheter tip balloon 47–53
Intracellular potassium activity 99–103
in vitro perfused medullary thick ascending limb 215–221
Isolated perfused rat kidney 71–73
– pancreatic islets 123–129
– papillary muscle 185–188
– skeletal muscles 87–89

K

Ketamine 249–255
Kidney, ADH effects 215–221
– blood flow 233–239
– cortex, flow autooscillations 223–227
–, diluting segment 113–121
–, sulfate transport 159–163
–, transtubular permeability 165–171
–, urate transport 203–207
K Influx 143–150
K-permeability in islet cells 123–129
K^+-selective microelectrodes 99–103

L

Low pressure system 195–201

M

Mannitol 165–171
Mechanical oscilloscope 173–179
Medulla oblongata 9–17

Membrane conductance 249–255
– potential 75–77
– resistance 87–89
Metho-Hexitone 249–255
1-Methyl lysergic acid 257–262
Microcirculation 29–34
Microflow probe 223–227
Micropuncture 203–207
Milk secretion 241–244
Miniature plethysmograph 189–194, 195–201
Molybdate 159–163
Muscarinic action of acetylcholine 75–77
Muscle fibre types 181–184
–, isolated skeletal 87–89

N

Na^+ coupled transport 159–163
Na-free (tris-)Ringer's solution 87–89
Nephron permeability 165–171
Nerve block 67–70
Neuron 1–8
Nucleotides 35–40

O

Octanoate action 87–89
Oleic acid 19–27
Olfactory cortex 249–255
Olive, inferior 137–142
Orthostasis 189–194, 195–201
Osmotic diuresis 165–171
Ouabain 55–66, 151–158
Oxygen affinity 209–213
– gas mixture 105–111
– microelectrode 29–34

P

Pancreatic islets 41–45, 123–129
– juice 19–27
– secretion 19–27
Papillary muscle 185–188
Paralysis 67–70
Paracellular pathway 165–171
Pentobarbitone 249–255
Perfusate temperature 79–85
Perivascular PO_2 29–34
Phenobarbitone 249–255
Phentolamine 41–45
Phlorizin 55–66
Phosphorylase activity 245–248
Phrenic nerve activity 9–17
Pial vessels 29–34
Plethysmography, miniature 189–194, 195–201
Postnatal development 185–188
Potassium, intracellular activity 99–103
Periodic microflow pattern 223–227
Pressoreceptors 233–239
Prolonged hypothermia 209–213
Proximal convolution of the rat kidney 159–163
– convoluted tubules 113–121
Psychophysics 173–179
Purinergic receptors 35–40
Purine ribonucleotide 35–40
Purkinje cell layer 137–142
– fiber 143–150
Putative purinergic receptors 35–40

R

Rat kidney cortex 223–227
Receptors, adrenergic and cholinergic 35–40
Receptor, muscarinic 75–77
Rectification, inward going 143–150
Red cell flexibility 229–232
– – glycolysis 209–213
Resistance, transepithelial 55–66
Respiratory neurons 1–8
– neuron activity 9–17
Rheology, red cell flexibility 229–232
Relaxation-contraction cycle 257–262
Renal blood flow 233–239
– electrolyte transport 113–121
– function, glomerular 71–73
– nerve activity 233–239
– reabsorption of endogenous urate 203–207
– tubule 159–163, 203–207
–, water and NaCl transport 215–221
Recurrent inhibitory mechanism 91–97
Resting membrane potential 143–150
– potential 181–184

S

Secretin 19–27
Skeletal muscle 87–89, 245–248
Slow-release technique 67–70
Sodium conductance 151–158
– transport 151–158
Small vessel blood content 105–111
Stimulus response curves 47–53
– -secretion coupling 123–129
Strontium 123–129
Sulfate reabsorption 159–163
Sympathectomy 79–85
Sympathetic cholinergic vasodilatation 245–248
– influence 79–85
– preganglionic neurones 91–97
Sympathic nerve activity 233–239

T

Temperature effect on the oxygen affinity of hemoglobin 209–213
Tetrodotoxin 67–70
Theophylline 35–40
Thiosulfate 159–163
Tissue P_{O_2} 29–34
– P_{O_2}, relative 105–111
Toad skin, aldosterone 151–158
Transepithelial 55–66
– potential difference 55–66, 215–221
– sodium transport 151–158
Transtubular permeability of raffinose 165–171
Triton-X-100 131–136
Tyrode solution 143–150

U

Urate excretion 203–207
Urea 165–171
Urecholine 19–27
Urethane 249–255

V

Vasopressin 151–158
–, water and NaCl transport 215–221
Venomotor tone 79–85
Venous constriction in response to cooling 79–85
– pressure 79–85
Ventilation, control of 9–17
Viscosity 229–232
– of blood, flowing through small glass capillaries 229–232
Vision research 173–179
Vitamin B_{12} clearance 71–73

W

Water balance 'goat' 241–244
– bicarbonate and protein secretion 19–27
– clearance by the kidney 241–244
– immersion 189–194
– permeability 131–136, 215–221